



GV STANDARD SLIDING OVER ROOF
ELECTRONICALLY OPERATED SLIDING ROOFLIGHT



When a rain sensor is required the customer is to specify a mounting position at the time of order to maximise exposure to the elements and avoid being in the rain shadow of the building.

There are 2 positions for the rain sensor. Either fixed to rooflight (position 1) or externally mounted with flying lead (position 2).

External keypads are always remotely mounted and supplied with flying leads.

NOTE: The rain sensor and keypad are optional extras.

<p>GLAZING VISION</p> <p>Saw Mills Road Diss Norfolk IP22 4RG</p> <p>Tel: +44 (0)333 8000 881 Fax: +44 (0)333 8000 882 Email: sales@glazing-vision.co.uk Website: www.glazing-vision.co.uk</p>	<p>IT IS GLAZING VISION'S POLICY TO CONTINUOUSLY DEVELOP AND IMPROVE OUR PRODUCTS. WE THEREFORE RESERVE THE RIGHT TO MODIFY OR CHANGE THE DETAIL DESIGN AT OUR DISCRETION AND WITHOUT PRIOR NOTICE. THIS DRAWING IS COPYRIGHT AND THE SOLE PROPERTY OF GLAZING VISION LTD. THE DESIGNS/INFORMATION IT CONTAINS ARE PRIVATE AND CONFIDENTIAL. IT MUST NOT BE COPIED, EXHIBITED OR COMMUNICATED TO THIRD PARTIES FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT WAS ISSUED WITHOUT THE WRITTEN PERMISSION OF GLAZING VISION LTD.</p>	<p>Third angle projection unless otherwise noted. Tolerances: Whole numbers = ±1mm One decimal place = ±0.5mm Two decimal places = ±0.2mm All angles 90±0.5 degrees unless specified IF IN DOUBT - ASK! DO NOT SCALE Supplier to deburr & remove sharp corners</p>	Rev	Revision Description	Drawn/Date	Product: 602 - GV Standard Sliding Over Roof	Checked By:
			-	Initial release	PGW 18.12.13	Description: Rain sensor and external keypad positions	James L
			A	Rain sensor positions revised	SW 29.11.17	Materials: N/A Finish: N/A Weight: N/A Quantity: N/A Scale: NTS	Check Date: 29.11.17
							Drawn By: PGW Drawn Date: 18.12.2013 Drawing No: 602-ASS-401