




Example of Standard Installation
up to 5° with no wall abutments

NO WALL ABUTMENTS

Section showing fall



Section across fall





1


2

Example High Pitch Installation
over 5° with no wall abutments

Section showing fall



Section across fall



* Notes:
- **Structural upstand thickness** DOES include external weathering but does NOT include internal finishes (see p3).
- **Upstand height** may vary around the upstand. The upstand height MUST exceed the given minimum upstand height at all points.
- **Upstand Build-up**, please refer to **Approved Document L1 & L2** of the British Building Regulations

* For Multipart Flushglazes, **WIDTH** always describes the dimension across multiple sections. **SPAN** always describes the other dimension.

GLAZING
VISION


+44 (0)1379 658 300 www.glazingvision.co.uk
sales@glazingvision.co.uk

IT IS GLAZING VISION'S POLICY TO CONTINUOUSLY DEVELOP AND IMPROVE OUR PRODUCTS. WE THEREFORE RESERVE THE RIGHT TO MODIFY OR CHANGE THE DETAIL DESIGN AT OUR DISCRETION AND WITHOUT PRIOR NOTICE.

THIS DRAWING IS COPYRIGHT AND THE SOLE PROPERTY OF GLAZING VISION INC. THE DESIGNS / INFORMATION IT CONTAINS ARE PRIVATE AND CONFIDENTIAL. IT MUST NOT BE COPIED, EXHIBITED OR COMMUNICATED TO THIRD PARTIES FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT WAS ISSUED WITHOUT THE WRITTEN PERMISSION OF GLAZING VISION INC.

ALL DIMENSIONS IN mm UNLESS OTHERWISE STATED

UPSTAND TO BE CONSTRUCTED TO WITHIN ± 10mm ON STRAIGHT & ± 12mm ON DIAGONAL DESIGNED SIZES. WEATHERING BY OTHERS.


Third angle projection unless otherwise stated

THIS IS A STANDARD DRAWING, THE UNIT PURCHASED MAY VARY. THIS DRAWING DOES NOT INDICATE ACCURATE DIMENSIONS FOR ANY EXISTING STRUCTURAL COMPONENTS OR PRODUCTS.

DO NOT USE THIS DRAWING FOR ANY SITE LAYOUTS. ON-SITE PERSONNEL ARE RESPONSIBLE TO CONFIRM DRAWINGS VS SPECIFIC SITE CONDITIONS.

ESTIMATED WEIGHT		SCALE	
N/A		Not to scale	
REVISION	DESCRIPTION	NAME/DATE	
-	Initial Release	SS 3/Aug/2023	

PROJECT

Upstand

TITLE / DESCRIPTION

General Upstand Arrangement

DRAWING NO.

100-SDD-UK-001

CHECKED

AB



SHEET

1 OF 3


Example Standard Installation
up to 5°
with top wall abutment

WITH WALL ABUTMENTS



Example Standard Installation
up to 5°
with right wall abutment



Section across fall




Section showing fall



Example High Pitch Installation
over 5°
with top wall abutment

* Notes:
- **Structural upstand thickness** DOES include external weathering but does NOT include internal finishes (see p3).
- **Upstand height** may vary around the upstand. The upstand height MUST exceed the given minimum upstand height at all points.
- **Upstand Build-up**, please refer to **Approved Document L1 & L2** of the British Building Regulations

* For Multipart Flushglazes, **WIDTH** always describes the dimension across multiple sections. **SPAN** always describes the other dimension.



☎: +44 (0)1379 658 300 🌐: www.glazingvision.co.uk
✉: sales@glazingvision.co.uk

IT IS GLAZING VISION'S POLICY TO CONTINUOUSLY DEVELOP AND IMPROVE OUR PRODUCTS. WE THEREFORE RESERVE THE RIGHT TO MODIFY OR CHANGE THE DETAIL DESIGN AT OUR DISCRETION AND WITHOUT PRIOR NOTICE.

THIS DRAWING IS COPYRIGHT AND THE SOLE PROPERTY OF GLAZING VISION INC. THE DESIGNS / INFORMATION IT CONTAINS ARE PRIVATE AND CONFIDENTIAL. IT MUST NOT BE COPIED, EXHIBITED OR COMMUNICATED TO THIRD PARTIES FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT WAS ISSUED WITHOUT THE WRITTEN PERMISSION OF GLAZING VISION INC.

ALL DIMENSIONS IN **mm** UNLESS OTHERWISE STATED

UPSTAND TO BE CONSTRUCTED TO WITHIN **± 10mm** ON STRAIGHT & **± 12mm** ON DIAGONAL DESIGNED SIZES. WEATHERING BY OTHERS.

Third angle projection unless otherwise stated

THIS IS A STANDARD DRAWING, THE UNIT PURCHASED MAY VARY. THIS DRAWING DOES NOT INDICATE ACCURATE DIMENSIONS FOR ANY EXISTING STRUCTURAL COMPONENTS OR PRODUCTS.

DO NOT USE THIS DRAWING FOR ANY SITE LAYOUTS. ON-SITE PERSONNEL ARE RESPONSIBLE TO CONFIRM DRAWINGS VS SPECIFIC SITE CONDITIONS.


ESTIMATED WEIGHT		SCALE	
N/A		Not to scale <small>(UNLESS OTHERWISE STATED)</small>	
REVISION	DESCRIPTION	NAME/DATE	
-	Initial Release	SS 4/Aug/2023	

PROJECT
Upstand

TITLE / DESCRIPTION	CHECKED
General Upstand Arrangement	AB

DRAWING NO.
100-SDD-UK-001

SHEET
2 OF 3




Third angle projection unless otherwise stated

THIS IS A STANDARD DRAWING, THE UNIT PURCHASED MAY VARY. THIS DRAWING DOES NOT INDICATE ACCURATE DIMENSIONS FOR ANY EXISTING STRUCTURAL COMPONENTS OR PRODUCTS.


DO NOT USE THIS DRAWING FOR ANY SITE LAYOUTS. ON-SITE PERSONNEL ARE RESPONSIBLE TO CONFIRM DRAWINGS VS SPECIFIC SITE CONDITIONS.

VARIOUS CONFIGURATION OF HIGH PITCH INSTALLATION WITH TOP ABUTMENT

Non Continuous internal face
(with incline at the top)



Continuous internal face



* Notes:
-With an inclined internal face, the structural upstand avoids being too wide.

ESTIMATED WEIGHT	N/A	SCALE	Not to scale <small>(UNLESS OTHERWISE STATED)</small>
------------------	-----	-------	--

REVISION	DESCRIPTION	NAME/DATE
-	Initial Release	SS 4/Aug/2023

PROJECT	Upstand
TITLE / DESCRIPTION	General Upstand Arrangement
CHECKED	AB
DRAWING NO.	100-SDD-UK-001
SHEET	3 OF 3