


IT IS GLAZING VISION'S POLICY TO CONTINUOUSLY DEVELOP AND IMPROVE OUR PRODUCTS. WE THEREFORE RESERVE THE RIGHT TO MODIFY OR CHANGE THE DETAIL DESIGN AT OUR DISCRETION AND WITHOUT PRIOR NOTICE.

THIS DRAWING IS COPYRIGHT AND THE SOLE PROPERTY OF GLAZING VISION LTD. THE DESIGNS / INFORMATION IT CONTAINS ARE PRIVATE AND CONFIDENTIAL. IT MUST NOT BE COPIED, EXHIBITED OR COMMUNICATED TO THIRD PARTIES FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT WAS ISSUED WITHOUT THE WRITTEN PERMISSION OF GLAZING VISION LTD.

ALL DIMENSIONS IN mm UNLESS OTHERWISE STATED


UPSTAND TO BE CONSTRUCTED TO WITHIN ± 10 mm ON STRAIGHT & ± 12 mm ON DIAGONAL DESIGNED SIZES. WEATHERING BY OTHERS.




Third angle projection unless otherwise stated

THIS IS A STANDARD DRAWING, THE UNIT PURCHASED MAY VARY. THIS DRAWING DOES NOT INDICATE ACCURATE DIMENSIONS FOR ANY EXISTING STRUCTURAL COMPONENTS OR PRODUCTS.

DO NOT USE THIS DRAWING FOR ANY SITE LAYOUTS. ON-SITE PERSONNEL ARE RESPONSIBLE TO CONFIRM DRAWINGS VS SPECIFIC SITE CONDITIONS.



Plan View of Skydoor 2



When a rain sensor is required, the customer is to specify a mounting position at the time of the order. Position should be specified to maximise the exposure to the elements and avoid being in the rain shadow of the building.

There are five positions for the rain sensor. It can either be rooflight mounted (positions 1-4) or externally mounted with flying lead (position 5).

External keypads are always remotely mounted and supplied with flying leads.

Refer to 100-SDD-UK-015 for wiring details and cable lengths.

NOTE: The rain sensor and keypad are optional extras.

ESTIMATED WEIGHT	N/A	SCALE	Not to scale <small>(UNLESS OTHERWISE STATED)</small>
------------------	-----	-------	----------------------------------------------------------

REVISION	DESCRIPTION	NAME/DATE
-	Initial Release	SS 04/Aug/2023
A	Change in referenced drawing	SS 08/Feb/2024

PROJECT	
406 GV Standard Skydoor2	
TITLE / DESCRIPTION	CHECKED
Rain sensor and external keypad positions	JSL
DRAWING NO.	SHEET
406-SDD-UK-507	1 OF 1